



## HMA I-LIFT 20

622XX-XXXXX-XXXXXX



Variable height adjustable suspension arm for the most individual requirements

- Default colours
  - Cover: RAL 7035 (Light grey)
  - Bearings: RAL 7035 (Light grey)
  - Special colours on request
- Ease of vertical movement separately adjustable (option)
- Restraint-guided load suspension at head joint
- Fine adjustment of the load capacity range (TLB) using adjusting screw
- external cable ducting system
- Limiting of the swivelling range (option)
- Adjustable rotation limit of the horizontal swivel angle (option)
- Head bearing mounting upwards and downwards possible
- With its variety of modules, from system extension arms to adaptors, the module system enables almost unlimited options in the setup adaptation to the workflows and surroundings.
- Low maintenance

<b>Cable duct</b>	In external cable duct (Internal cable duct 8,2 x 14mm option)
<b>Vertical stroke</b>	0.00
<b>Loading weight range</b>	1.5 - 34 kg

## HMA I-LIFT 20-1 (360 MM)

6221X-31XXX-XXXXXXX



foot joint bottom, head joint bottom, with cable duct,  
Connection type: bushing

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62210-31105-1703510	HMA I-Lift 20-1, 360 mm, TLB 6.5-11 kg, 3.6kg, Colour: RAL 7035
62211-31105-1703510	HMA I-Lift 20-1, 360 mm, TLB 9-15 kg, 3.6kg, Colour: RAL 7035
62212-31105-1703510	HMA I-Lift 20-1, 360 mm, TLB 12-17.5 kg, 3.6kg, Colour: RAL 7035
62213-31105-1703510	HMA I-Lift 20-1, 360 mm, TLB 14-25 kg, 3.6kg, Colour: RAL 7035
62214-31105-1703510	HMA I-Lift 20-1, 360 mm, TLB 17-29 kg, 3.6kg, Colour: RAL 7035
62215-31105-1703510	HMA I-Lift 20-1, 360 mm, TLB 19-31 kg, 3.6kg, Colour: RAL 7035
62216-31105-1703510	HMA I-Lift 20-1, 360 mm, TLB 22-34 kg, 3.6kg, Colour: RAL 7035

## HMA I-LIFT 20-2 (360 MM)

6221X-11XXX-XXXXXXX



foot joint bottom, head joint bottom, with cable duct,  
Connection type: bolt

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62210-11105-1703510	HMA I-Lift 20-2, 360 mm, TLB 6.5-11 kg, 3.6kg, Colour: RAL 7035
62211-11105-1703510	HMA I-Lift 20-2, 360 mm, TLB 9-15 kg, 3.6kg, Colour: RAL 7035
62212-11105-1703510	HMA I-Lift 20-2, 360 mm, TLB 12-17.5 kg, 3.6kg, Colour: RAL 7035
62213-11105-1703510	HMA I-Lift 20-2, 360 mm, TLB 14-25 kg, 3.6kg, Colour: RAL 7035
62214-11105-1703510	HMA I-Lift 20-2, 360 mm, TLB 17-29 kg, 3.6kg, Colour: RAL 7035
62215-11105-1703510	HMA I-Lift 20-2, 360 mm, TLB 19-31 kg, 3.6kg, Colour: RAL 7035
62216-11105-1703510	HMA I-Lift 20-2, 360 mm, TLB 22-34 kg, 3.6kg, Colour: RAL 7035

## HMA I-LIFT 20-3 (360 MM)

6221X-30XXX-XXXXXXX



foot joint bottom, head joint top, with cable duct,  
Connection type: bushing

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62210-30105-1703510	HMA I-Lift 20-3, 360 mm, TLB 6.5-11 kg, 3.6kg, Colour: RAL 7035
62211-30105-1703510	HMA I-Lift 20-3, 360 mm, TLB 9-15 kg, 3.6kg, Colour: RAL 7035
62212-30105-1703510	HMA I-Lift 20-3, 360 mm, TLB 12-17.5 kg, 3.6kg, Colour: RAL 7035
62213-30105-1703510	HMA I-Lift 20-3, 360 mm, TLB 14-25 kg, 3.6kg, Colour: RAL 7035
62214-30105-1703510	HMA I-Lift 20-3, 360 mm, TLB 17-29 kg, 3.6kg, Colour: RAL 7035
62215-30105-1703510	HMA I-Lift 20-3, 360 mm, TLB 19-31 kg, 3.6kg, Colour: RAL 7035
62216-30105-1703510	HMA I-Lift 20-3, 360 mm, TLB 22-34 kg, 3.6kg, Colour: RAL 7035

## HMA I-LIFT 20-4 (360 MM)

6221X-10XXX-XXXXXXX



foot joint bottom, head joint top, with cable duct,  
Connection type: bolt

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62210-10105-1703510	HMA I-Lift 20-4, 360 mm, TLB 6.5-11 kg, 3.6kg, Colour: RAL 7035
62211-10105-1703510	HMA I-Lift 20-4, 360 mm, TLB 9-15 kg, 3.6kg, Colour: RAL 7035
62212-10105-1703510	HMA I-Lift 20-4, 360 mm, TLB 12-17.5 kg, 3.6kg, Colour: RAL 7035
62213-10105-1703510	HMA I-Lift 20-4, 360 mm, TLB 14-25 kg, 3.6kg, Colour: RAL 7035
62214-10105-1703510	HMA I-Lift 20-4, 360 mm, TLB 17-29 kg, 3.6kg, Colour: RAL 7035
62215-10105-1703510	HMA I-Lift 20-4, 360 mm, TLB 19-31 kg, 3.6kg, Colour: RAL 7035
62216-10105-1703510	HMA I-Lift 20-4, 360 mm, TLB 22-34 kg, 3.6kg, Colour: RAL 7035

## HMA I-LIFT 20-1 (400 MM)

6222X-31XXX-XXXXXXX



foot joint bottom, head joint bottom, with cable duct,  
Connection type: bushing

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62220-31105-1703510	HMA I-Lift 20-1, 400 mm, TLB 4.5-9 kg, 4kg, Colour: RAL 7035
62221-31105-1703510	HMA I-Lift 20-1, 400 mm, TLB 7-12 kg, 4kg, Colour: RAL 7035
62222-31105-1703510	HMA I-Lift 20-1, 400 mm, TLB 10-17 kg, 4kg, Colour: RAL 7035
62223-31105-1703510	HMA I-Lift 20-1, 400 mm, TLB 13-19 kg, 4kg, Colour: RAL 7035
62224-31105-1703510	HMA I-Lift 20-1, 400 mm, TLB 15-25 kg, 4kg, Colour: RAL 7035
62225-31105-1703510	HMA I-Lift 20-1, 400 mm, TLB 17-26 kg, 4kg, Colour: RAL 7035
62226-31105-1703510	HMA I-Lift 20-1, 400 mm, TLB 20-33 kg, 4kg, Colour: RAL 7035

## HMA I-LIFT 20-2 (400 MM)

6222X-11XXX-XXXXXXX



foot joint bottom, head joint bottom, with cable duct,  
Connection type: bolt

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62220-11105-1703510	HMA I-Lift 20-2, 400 mm, TLB 4.5-9 kg, 4kg, Colour: RAL 7035
62221-11105-1703510	HMA I-Lift 20-2, 400 mm, TLB 7-12 kg, 4kg, Colour: RAL 7035
62222-11105-1703510	HMA I-Lift 20-2, 400 mm, TLB 10-17 kg, 4kg, Colour: RAL 7035
62223-11105-1703510	HMA I-Lift 20-2, 400 mm, TLB 13-19 kg, 4kg, Colour: RAL 7035
62224-11105-1703510	HMA I-Lift 20-2, 400 mm, TLB 15-25 kg, 4kg, Colour: RAL 7035
62225-11105-1703510	HMA I-Lift 20-2, 400 mm, TLB 17-26 kg, 4kg, Colour: RAL 7035
62226-11105-1703510	HMA I-Lift 20-2, 400 mm, TLB 20-33 kg, 4kg, Colour: RAL 7035

## HMA I-LIFT 20-3 (400 MM)

6222X-30XXX-XXXXXXX



foot joint bottom, head joint top, with cable duct,  
Connection type: bushing

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62220-30105-1703510	HMA I-Lift 20-3, 400 mm, TLB 4.5-9 kg, 4kg, Colour: RAL 7035
62221-30105-1703510	HMA I-Lift 20-3, 400 mm, TLB 7-12 kg, 4kg, Colour: RAL 7035
62222-30105-1703510	HMA I-Lift 20-3, 400 mm, TLB 10-17 kg, 4kg, Colour: RAL 7035
62223-30105-1703510	HMA I-Lift 20-3, 400 mm, TLB 13-19 kg, 4kg, Colour: RAL 7035
62224-30105-1703510	HMA I-Lift 20-3, 400 mm, TLB 15-25 kg, 4kg, Colour: RAL 7035
62225-30105-1703510	HMA I-Lift 20-3, 400 mm, TLB 17-26 kg, 4kg, Colour: RAL 7035
62226-30105-1703510	HMA I-Lift 20-3, 400 mm, TLB 20-33 kg, 4kg, Colour: RAL 7035

## HMA I-LIFT 20-4 (400 MM)

6222X-10XXX-XXXXXXX



foot joint bottom, head joint top, with cable duct,  
Connection type: bolt

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62220-10105-1703510	HMA I-Lift 20-4, 400 mm, TLB 4.5-9 kg, 4kg, Colour: RAL 7035
62221-10105-1703510	HMA I-Lift 20-4, 400 mm, TLB 7-12 kg, 4kg, Colour: RAL 7035
62222-10105-1703510	HMA I-Lift 20-4, 400 mm, TLB 10-17 kg, 4kg, Colour: RAL 7035
62223-10105-1703510	HMA I-Lift 20-4, 400 mm, TLB 13-19 kg, 4kg, Colour: RAL 7035
62224-10105-1703510	HMA I-Lift 20-4, 400 mm, TLB 15-25 kg, 4kg, Colour: RAL 7035
62225-10105-1703510	HMA I-Lift 20-4, 400 mm, TLB 17-26 kg, 4kg, Colour: RAL 7035
62226-10105-1703510	HMA I-Lift 20-4, 400 mm, TLB 20-33 kg, 4kg, Colour: RAL 7035

## HMA I-LIFT 20-1 (580 MM)

6224X-31XXX-XXXXXXXX



foot joint bottom, head joint bottom, with cable duct,  
Connection type: bushing

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62240-31105-1703510	HMA I-Lift 20-1, 580 mm, TLB 3-5 kg, 5.8kg, Colour: RAL 7035
62240-31205-1703510	HMA I-Lift 20-1, 580 mm, TLB 3-5 kg, lockable, 5.8kg, Colour: RAL 7035
62241-31105-1703510	HMA I-Lift 20-1, 580 mm, TLB 5-8 kg, 5.8kg, Colour: RAL 7035
62241-31205-1703510	HMA I-Lift 20-1, 580 mm, TLB 5-8 kg, lockable, 5.8kg, Colour: RAL 7035
62242-31105-1703510	HMA I-Lift 20-1, 580 mm, TLB 6-10 kg, 5.8kg, Colour: RAL 7035
62242-31205-1703510	HMA I-Lift 20-1, 580 mm, TLB 6-10 kg, lockable, 5.8kg, Colour: RAL 7035
62243-31105-1703510	HMA I-Lift 20-1, 580 mm, TLB 7.5-12 kg, 5.8kg, Colour: RAL 7035
62243-31205-1703510	HMA I-Lift 20-1, 580 mm, TLB 7.5-12 kg, lockable, 5.8kg, Colour: RAL 7035
62244-31105-1703510	HMA I-Lift 20-1, 580 mm, TLB 10-16 kg, 5.8kg, Colour: RAL 7035
62244-31205-1703510	HMA I-Lift 20-1, 580 mm, TLB 10-16 kg, lockable, 5.8kg, Colour: RAL 7035
62245-31105-1703510	HMA I-Lift 20-1, 580 mm, TLB 11-17 kg, 5.8kg, Colour: RAL 7035
62245-31205-1703510	HMA I-Lift 20-1, 580 mm, TLB 11-17 kg, lockable, 5.8kg, Colour: RAL 7035
62246-31105-1703510	HMA I-Lift 20-1, 580 mm, TLB 12.5-20.5 kg, 5.8kg, Colour: RAL 7035
62246-31205-1703510	HMA I-Lift 20-1, 580 mm, TLB 12.5-20.5 kg, lockable, 5.8kg, Colour: RAL 7035

## HMA I-LIFT 20-2 (580 MM)

6224X-11XXX-XXXXXXXX



foot joint bottom, head joint bottom, with cable duct,  
Connection type: bolt

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62240-11105-1703510	HMA I-Lift 20-2, 580 mm, TLB 3-5 kg, 5.8kg, Colour: RAL 7035
62240-11205-1703510	HMA I-Lift 20-2, 580 mm, TLB 3-5 kg, lockable, 5.8kg, Colour: RAL 7035
62241-11105-1703510	HMA I-Lift 20-2, 580 mm, TLB 5-8 kg, 5.8kg, Colour: RAL 7035

Product code	Description
62241-11205-1703510	HMA I-Lift 20-2, 580 mm, TLB 5-8 kg, lockable, 5.8kg, Colour: RAL 7035
62242-11105-1703510	HMA I-Lift 20-2, 580 mm, TLB 6-10 kg, 5.8kg, Colour: RAL 7035
62242-11205-1703510	HMA I-Lift 20-2, 580 mm, TLB 6-10 kg, lockable, 5.8kg, Colour: RAL 7035
62243-11105-1703510	HMA I-Lift 20-2, 580 mm, TLB 7.5-12 kg, 5.8kg, Colour: RAL 7035
62243-11205-1703510	HMA I-Lift 20-2, 580 mm, TLB 7.5-12 kg, lockable, 5.8kg, Colour: RAL 7035
62244-11105-1703510	HMA I-Lift 20-2, 580 mm, TLB 10-16 kg, 5.8kg, Colour: RAL 7035
62244-11205-1703510	HMA I-Lift 20-2, 580 mm, TLB 10-16 kg, lockable, 5.8kg, Colour: RAL 7035
62245-11105-1703510	HMA I-Lift 20-2, 580 mm, TLB 11-17 kg, 5.8kg, Colour: RAL 7035
62245-11205-1703510	HMA I-Lift 20-2, 580 mm, TLB 11-17 kg, lockable, 5.8kg, Colour: RAL 7035
62246-11105-1703510	HMA I-Lift 20-2, 580 mm, TLB 12.5-20.5 kg, 5.8kg, Colour: RAL 7035
62246-11205-1703510	HMA I-Lift 20-2, 580 mm, TLB 12.5-20.5 kg, lockable, 5.8kg, Colour: RAL 7035

## HMA I-LIFT 20-3 (580 MM)

6224X-30XXX-XXXXXXX



foot joint bottom, head joint top, with cable duct,  
Connection type: bushing

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62240-30105-1703510	HMA I-Lift 20-3, 580 mm, TLB 3-5 kg, 5.8kg, Colour: RAL 7035
62241-30105-1703510	HMA I-Lift 20-3, 580 mm, TLB 5-8 kg, 5.8kg, Colour: RAL 7035
62242-30105-1703510	HMA I-Lift 20-3, 580 mm, TLB 6-10 kg, 5.8kg, Colour: RAL 7035
62243-30105-1703510	HMA I-Lift 20-3, 580 mm, TLB 7.5-12 kg, 5.8kg, Colour: RAL 7035
62244-30105-1703510	HMA I-Lift 20-3, 580 mm, TLB 10-16 kg, 5.8kg, Colour: RAL 7035
62245-30105-1703510	HMA I-Lift 20-3, 580 mm, TLB 11-17 kg, 5.8kg, Colour: RAL 7035
62246-30105-1703510	HMA I-Lift 20-3, 580 mm, TLB 12.5-20.5 kg, 5.8kg, Colour: RAL 7035

## HMA I-LIFT 20-4 (580 MM)

6224X-10XXX-XXXXXXX



foot joint bottom, head joint top, with cable duct,  
Connection type: bolt

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62240-10105-1703510	HMA I-Lift 20-4, 580 mm, TLB 3-5 kg, 5.8kg, Colour: RAL 7035
62241-10105-1703510	HMA I-Lift 20-4, 580 mm, TLB 5-8 kg, 5.8kg, Colour: RAL 7035
62242-10105-1703510	HMA I-Lift 20-4, 580 mm, TLB 6-10 kg, 5.8kg, Colour: RAL 7035
62243-10105-1703510	HMA I-Lift 20-4, 580 mm, TLB 7.5-12 kg, 5.8kg, Colour: RAL 7035
62244-10105-1703510	HMA I-Lift 20-4, 580 mm, TLB 10-16 kg, 5.8kg, Colour: RAL 7035
62245-10105-1703510	HMA I-Lift 20-4, 580 mm, TLB 11-17 kg, 5.8kg, Colour: RAL 7035
62246-10105-1703510	HMA I-Lift 20-4, 580 mm, TLB 12.5-20.5 kg, 5.8kg, Colour: RAL 7035

## HMA I-LIFT 20-1 (750 MM)

6227X-31XXX-XXXXXXX



foot joint bottom, head joint bottom, with cable duct,  
Connection type: bushing

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62270-31105-1703510	HMA I-Lift 20-1, 750 mm, TLB 1.5-3.5 kg, 7.5kg, Colour: RAL 7035
62270-31205-1703510	HMA I-Lift 20-1, 750 mm, TLB 1.5-3.5 kg, lockable, 7.5kg, Colour: RAL 7035
62271-31105-1703510	HMA I-Lift 20-1, 750 mm, TLB 3-5 kg, 7.5kg, Colour: RAL 7035
62271-31205-1703510	HMA I-Lift 20-1, 750 mm, TLB 3-5 kg, lockable, 7.5kg, Colour: RAL 7035
62272-31105-1703510	HMA I-Lift 20-1, 750 mm, TLB 4-7.5 kg, 7.5kg, Colour: RAL 7035
62272-31205-1703510	HMA I-Lift 20-1, 750 mm, TLB 4-7.5 kg, lockable, 7.5kg, Colour: RAL 7035
62273-31105-1703510	HMA I-Lift 20-1, 750 mm, TLB 5-8.5 kg, 7.5kg, Colour: RAL 7035
62273-31205-1703510	HMA I-Lift 20-1, 750 mm, TLB 5-8.5 kg, lockable, 7.5kg, Colour: RAL 7035
62274-31105-1703510	HMA I-Lift 20-1, 750 mm, TLB 6-9.5 kg, 7.5kg, Colour: RAL 7035
62274-31205-1703510	HMA I-Lift 20-1, 750 mm, TLB 6-9.5 kg, lockable, 7.5kg, Colour: RAL 7035



Product code	Description
62275-31105-1703510	HMA I-Lift 20-1, 750 mm, TLB 7-10.5 kg, 7.5kg, Colour: RAL 7035
62275-31205-1703510	HMA I-Lift 20-1, 750 mm, TLB 7-10.5 kg, lockable, 7.5kg, Colour: RAL 7035
62276-31105-1703510	HMA I-Lift 20-1, 750 mm, TLB 8.5-13 kg, 7.5kg, Colour: RAL 7035
62276-31205-1703510	HMA I-Lift 20-1, 750 mm, TLB 8.5-13 kg, lockable, 7.5kg, Colour: RAL 7035

## HMA I-LIFT 20-2 (750 MM)

6227X-11XXX-XXXXXXX



foot joint bottom, head joint bottom, with cable duct,  
Connection type: bolt

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62270-11105-1703510	HMA I-Lift 20-2, 750 mm, TLB 1.5-3.5 kg, 7.5kg, Colour: RAL 7035
62270-11205-1703510	HMA I-Lift 20-2, 750 mm, TLB 1.5-3.5 kg, lockable, 7.5kg, Colour: RAL 7035
62271-11105-1703510	HMA I-Lift 20-2, 750 mm, TLB 3-5 kg, 7.5kg, Colour: RAL 7035
62271-11205-1703510	HMA I-Lift 20-2, 750 mm, TLB 3-5 kg, lockable, 7.5kg, Colour: RAL 7035
62272-11105-1703510	HMA I-Lift 20-2, 750 mm, TLB 4-7.5 kg, 7.5kg, Colour: RAL 7035
62272-11205-1703510	HMA I-Lift 20-2, 750 mm, TLB 4-7.5 kg, lockable, 7.5kg, Colour: RAL 7035
62273-11105-1703510	HMA I-Lift 20-2, 750 mm, TLB 5-8.5 kg, 7.5kg, Colour: RAL 7035
62273-11205-1703510	HMA I-Lift 20-2, 750 mm, TLB 5-8.5 kg, lockable, 7.5kg, Colour: RAL 7035
62274-11105-1703510	HMA I-Lift 20-2, 750 mm, TLB 6-9.5 kg, 7.5kg, Colour: RAL 7035
62274-11205-1703510	HMA I-Lift 20-2, 750 mm, TLB 6-9.5 kg, lockable, 7.5kg, Colour: RAL 7035
62275-11105-1703510	HMA I-Lift 20-2, 750 mm, TLB 7-10.5 kg, 7.5kg, Colour: RAL 7035
62275-11205-1703510	HMA I-Lift 20-2, 750 mm, TLB 7-10.5 kg, lockable, 7.5kg, Colour: RAL 7035
62276-11105-1703510	HMA I-Lift 20-2, 750 mm, TLB 8.5-13 kg, 7.5kg, Colour: RAL 7035
62276-11205-1703510	HMA I-Lift 20-2, 750 mm, TLB 8.5-13 kg, lockable, 7.5kg, Colour: RAL 7035

## HMA I-LIFT 20-3 (750 MM)

6227X-30XXX-XXXXXXX



foot joint bottom, head joint top, with cable duct,  
Connection type: bushing

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62270-30105-1703510	HMA I-Lift 20-3, 750 mm, TLB 1.5-3.5 kg, 7.5kg, Colour: RAL 7035
62271-30105-1703510	HMA I-Lift 20-3, 750 mm, TLB 3-5 kg, 7.5kg, Colour: RAL 7035
62272-30105-1703510	HMA I-Lift 20-3, 750 mm, TLB 4-7.5 kg, 7.5kg, Colour: RAL 7035
62273-30105-1703510	HMA I-Lift 20-3, 750 mm, TLB 5-8.5 kg, 7.5kg, Colour: RAL 7035
62274-30105-1703510	HMA I-Lift 20-3, 750 mm, TLB 6-9.5 kg, 7.5kg, Colour: RAL 7035
62275-30105-1703510	HMA I-Lift 20-3, 750 mm, TLB 7-10.5 kg, 7.5kg, Colour: RAL 7035
62276-30105-1703510	HMA I-Lift 20-3, 750 mm, TLB 8.5-13 kg, 7.5kg, Colour: RAL 7035

## HMA I-LIFT 20-4 (750 MM)

6227X-10XXX-XXXXXXX



foot joint bottom, head joint top, with cable duct,  
Connection type: bolt

- Default colour
  - RAL 7035 (Light grey)
  - Special colours on request

Product code	Description
62270-10105-1703510	HMA I-Lift 20-4, 750 mm, TLB 1.5-3.5 kg, 7.5kg, Colour: RAL 7035
62271-10105-1703510	HMA I-Lift 20-4, 750 mm, TLB 3-5 kg, 7.5kg, Colour: RAL 7035
62272-10105-1703510	HMA I-Lift 20-4, 750 mm, TLB 4-7.5 kg, 7.5kg, Colour: RAL 7035
62273-10105-1703510	HMA I-Lift 20-4, 750 mm, TLB 5-8.5 kg, 7.5kg, Colour: RAL 7035
62274-10105-1703510	HMA I-Lift 20-4, 750 mm, TLB 6-9.5 kg, 7.5kg, Colour: RAL 7035
62275-10105-1703510	HMA I-Lift 20-4, 750 mm, TLB 7-10.5 kg, 7.5kg, Colour: RAL 7035
62276-10105-1703510	HMA I-Lift 20-4, 750 mm, TLB 8.5-13 kg, 7.5kg, Colour: RAL 7035